



NAIL POLISH REMOVING GEL 6412A

Formula

A	<ul style="list-style-type: none">• Acetone• PEG-75 lanolin• Water• Colour	60.00 % 5.00 % QS 100 % QS .
B	<ul style="list-style-type: none">• SEPIGEL 305 (Polyacrylamide/C13.14 isoparaffin/Laureth-7 - SEPPIC)	3.00 %

Procedure

Add B to A stirring at a moderate speed. Continue to stir until the mixture becomes homogenous.

Comments

SEPIGEL 305 An easy to use liquid gelling agent which does not require preliminary swelling or neutralisation. It can be used to obtain stable gels with a soft texture even in the presence of a high concentration of solvent, like acetone. Because of the gelling of the medium it can be used to limit the evaporation of the solvent.

Characteristics

Appearance	Translucent gel
Viscosity	15,000 mPa.s LV4 V6 BROOKFIELD
Stability	Excellent

6412A - SEPPIC - A9502

Since the proposed formulation has not undergone a toxicological study, the handling and use of the proposed products are given as an indication only and in no way bind SEPPIC's responsibility.