



EU07060 | SOS CRACKED SKIN



Face & Body

Silky & non-sticky touch

Cold process



В	Magnesium Sulfate	0.54%
	Agua / Water	Up to 100%
	Glycerin	3.80%

C	SEPICIDE™ HB	1.00%
	Parfum / Fragrance	0.20%

With Wesourc

W/O Emulsion, White & Fluid / Packaging: Bottle

VISCOSITIES: 1M at RT: 3,800 mPa.s Brookfield LV4-6. Recovery at RT (after 1M at 45°C): 1,600 mPa.s Brookfield LV4-6.

STABILITY: 1M at RT, 45°C, cycles -5°C/+40°C. Stable after centrifugation 20' at 3000 rpm

FORMULATION ADVICES: 2 Kg - Dumek

Weigh phase A and pour it into the vat, heat to 80°C with stirring (anchor). Mix phase B, heat to 80°C. When both phases are at 80°C, pour B over A slowly (3 minutes introduction time) under turbo 1 (700 rpm). When B is poured increase turbo 2 (1500rpm) + anchor agitation. Cooling will be accelerated after 50' of emulsification. Total duration of emulsification: 1 hour. After this time, cooling can continue under anchor.



A classic W/O emulsion, rich in fatty phase & cold processable!

A silky & non-sticky touch, characteristic of emulsions formulated with EASYNOV™!

EASYNOV™: this lipophilic emulsifier, in liquid form, allows the formulation of water-in-oil emulsions. It offers soft, silky & non-sticky textures.

(Octyldodecanol - Octyldodecyl Xyloside - PEG30-Dipolyhydroxystearate)

A fluid form, that makes it possible to formulate an $\mbox{ O/W}$ emulsion using a **cold process**.

SEPICIDE™ HB

(Phenoxyethanol - Methylparaben - Ethylparaben - Propylparaben - Butylparaben)

Preservative system.

ADDITIONAL INCOEDIENT

ADUITIONAL INGREDIENTS:

Pentaerythrity Tetraoctanoate: DUB PTO (STEARINERIE DUBOIS) / Zinc. Stearate: STEARATE DE ZINC (BRENNTAG) / Bees Wax.

CERABEIL. BILANCHE. DAB (BAERLOCHER FRANCE) / Magnesium Sulfate: MAGNESIUM SULFATE (MERCK EUROLAB) /

Fragrance: KERP COOL (TECHNICO FLOR).

More informations available on **seppic.com**



