

SEPPIC

AS40039A

**SO SPORTY WATER RESISTANT
SUN PROTECTION CREAM**

In Vitro SPF 40



**O/W
Emulsion**



- Ivory emulsion
- Packaging: bottle
- SENSANOV™ WR establishes a mat velvety sunscreen with a light skin feel. SEPIMAT™ HB V ensures a non-greasy and powdery feel which comforts the skin even in summer.
- SENSANOV™ WR creates 100% water resistance formulation (in vitro test: SEPPIC 57CO048A method)
- SIMULGEL™ NS ensures the fluidity of the emulsion, stabilizes the oil phase and minimizes a greasy skinfeel with high content of sun filters.
- In vitro test on SPF value: 40 (SEPPIC 57CO033B method)
- UVA/UVB ratio = 0.8



AS40039 A- 1406

Formula

A	SENSANOV™ WR Triethanolamine	3.00% 0.45%
B	Octocrylene Ethylhexyl Salicylate Butyl Methoxydibenzoylmethane Diisopropyl sebacate SEPIMAT™ HB V Cyclomethcone and Titanium Dioxide Diisopropyl adipate	6.00% 5.00% 2.50% 5.00% 1.00% 3.00% 2.00%
C	Aqua/Water Butylene Glycol SOLAGUM™ AX Tetrasodium EDTA ORAMIX™ CG 110 Phenylbenzimidazole Sulfonic Acid Triethanolamine	Up to 100% 4.00% 0.30% 0.10% 0.50% 0.50% 0.30%
D	SIMULGEL™ NS	2.30%
E	Tocopheryl Acetate Phenoxyethanol and Ethylhexylglycerin Parfum / Fragrance	0.20% 1.00% 0.20%

Procedure

Lab scale-SILVERSON-300g

Disperse TiO2 in oil phase B and grind until it's uniform. Heat phase B to 80-85°C. Melt part A at 85°C and stir uniformly Mix part C well and heat at 85°C. Add heated part C into A+B, and then start homogenization at 4000rpm for 2 minutes. Introduce D to main tank, start homogenization at 4000rpm for 4 minutes. Cool down slowly. Add part E in the emulsion at 40°C. Adjust pH if necessary and stop stirring at 30°C.

Characteristics

Appearance	Ivory fluid emulsion
pH	7.4
Viscosity 1M at RT	14,800 mPa.s Brookfield S3 sp.6
Viscosity 1M at 45° C	9,800 mPa.s Brookfield S3 sp.6
Viscosity recovery at RT (after 1M at 45° C)	17,500 mPa.s Brookfield S3 sp.6
Stability	M1 Stable at RT, -18° C & 45° C M1 Stable after cycles -5/+40° C Stable when centrifuged at 37° C 30' at 3000 rpm

Raw materials from SEPPIC

SENSANOV™ WR

C20-22 Alkyl Phosphate and C20-22 Alcohols

Versatile phosphate anionic emulsifier effective at low dosage (1 to 3%). Provides a feeling of lightness followed by the sensation of a matt velvety veil which slowly envelops the skin. Finally SENSANOV™ WR emulsions leaves the skin supple with a long lasting sensation of comfort. This protective film sensation is reflected in vivo by a water-resistant effect for the development of sun care formulations. SENSANOV™ WR reduces oiliness of extra rich emulsion. Ideal for makeup products, SENSANOV™ WR is able to emulsify a high percentage of fillers keeping a perfectly smooth texture.

SOLAGUM™ AX

Acacia Senegal Gum and Xanthan Gum

Combination of natural thickening polymers. It allows you to formulate non-stringy translucent gels and can be used with hot or cold process. Ecocert and Natrue approved.

ORAMIX™ CG110

Caprylyl / Capryl Glucoside

Non-ionic surfactant from vegetable origin. It is an ideal solubilizing agent for foaming products because it solubilizes essential oils, fragrances and preservatives but also boosts foam volume. Its mild cleansing effect is interesting for the formulation of make-up removers, especially for lotions. It is particularly used to emulsify and disperse molecules in cream-gels. Ecocert, Cosmos and Natrue approved.

SEPIMAT™ HB V

Methyl Methacrylate Crosspolymer

Ultra-soft hollow and ultra light microspheres that impart a "powdery" effect at low use levels. This versatile, both hydro and lipo dispersible, powder allows formulators to make very powdery formulations containing low levels of oily materials. In O/W, W/O or W/Si emulsions, only 0.5% of Sepimat™HBV is enough to avoid overly greasy formulations and provide a powdery feel.

SIMULGEL™ NS

Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer and Squalane and Polysorbate 60

Thickening and emulsifying agent, Simulgel™NS is very easy to use in liquid form (neither pre-dispersion nor neutralization). It provides a sensation of freshness followed by a melting effect on the skin (velvety softness feeling). Simulgel™NS perfectly stabilizes emulsions made at high temperatures.

Other raw materials...

- Octocrylene : **NEO HELIOPAN 303(Symrise)**
- Diisopropyl Adipate: **DUB DIPA(STEARINERIE DUBOIS)**
- Ethylhexyl salicylate: **PARSOL EHS (DSM)**
- Butyl methoxydibenzoylmethane: **EUSOLEX 9020 (MERCK)**
- Diisopropyl sebacate : **DUB DIS(STEARINERIE DUBOIS)**
- Cyclomethcone and Titanium Dioxide: **SA-T1 MIBIRD POWDER (MIYOSHI)**
- Phenylbenzimidazole sulfonic acid:**EUSOLEX 232 (Merck)**
- Tocopheryl Acetate: **DL-α-TOCOPHERYL ACETATE (DSM)**
- Phenoxyethanol and Ethylhexylglycerin : **EUXYL™ PE9010 (S&M)**
- Fragrance: **FRAG272783 (DROM)**

All information contained herein is intended merely to demonstrate the utility of SEPPIC products, and should not be construed as granting license to practice any compositions or methods covered by a patent or a patent application. All information contained in this specific technical documentation is believed to be accurate and has been set up by SEPPIC according to its own described methods and processes. SEPPIC however does not assume any liability or risks involved in the use of its products for the preparation and the assessment of the hereinabove formulation since the condition of use are beyond its control. SEPPIC customer must insure that the duplication of the hereinabove formulation is not infringing any intellectual property rights and that it complies with any regulatory status.



www.seppic.com